



BRONCO GAS SHOCKS&SPRINGS

04

NEW ITEMS IN BLUE | UPDATED APPLICATIONS IN RED

SHOCK SPECS						
P/N	POSITION	TOP HOLE	TOP EYELET	BOTTOM HOLE	BOTTOM	TUBE
		I.D.	WIDTH	I.D.	EYELET WIDTH	O.D.
		MM	MM	MM	MM	MM
STRUTS						
AU-04300	FRONT	12.5 X 36 THREADED ROD		N/A	N/A	38
AU-04310	FRONT	12.5 X 36 THREADED ROD		N/A	N/A	41,5
AU-04315	FRONT	12.5 X 36 THREADED ROD		N/A	N/A	41,4
AU-04331	FRONT	12.5 X 36 THREADED ROD		N/A	N/A	41,3
AU-04347	FRONT	M10 BOLTS X3		N/A	N/A	44
AU-04400	FRONT	12.5 X 38 THREADED ROD		N/A	N/A	42

SHOCKS						
P/N	POSITION	TOP HOLE I.D. (MM)	TOP EYELET WIDTH (MM)	BOTTOM HOLE I.D. (MM)	BOTTOM EYELET WIDTH (MM)	TUBE O.D. (MM)
AU-04202	FRONT	10	21	10	21	38
AU-04203	FRONT	10	20	10	24	38
AU-04205	FRONT	10	27,5	10	32	36
AU-04206	FRONT	10	28	10	32	38
AU-04207	FRONT	10	21	10	20	38
AU-04208	FRONT	10	21	10	24	38
AU-04209	FRONT	10	21	10	24	38
AU-04252	REAR	16	20	10	21	38
AU-04253	REAR	10	32	10	32	44
AU-04254	REAR	10	32	10	32	44
AU-04256	REAR	10	32	10	32	44
AU-04257	REAR	16	21	10	24	38
AU-04258	REAR	18	23	10	32	36
AU-04259	REAR	10	32	10	32	42
AU-04301	FRONT	10	30	10	35,5	50,8
AU-04302	FRONT	10	32	10	32	35,8
AU-04303	FRONT	10	32	10	32	39
AU-04304	FRONT	10	32	10	30	39
AU-04305	FRONT	10	32	10	30	39
AU-04306	FRONT	10	32	10	32	36
AU-04307	FRONT	10	32	10	30	38
AU-04308	FRONT	10	30	10	30	38
AU-04309	FRONT	10	32	10	32	39
AU-04309	FRONT	10	32	10	32	39
AU-04311	FRONT	10	20	10	30	36
AU-04312	FRONT	10	20	10	21	30
AU-04313	FRONT	10	32	10	32	42
AU-04314	FRONT	N/A	N/A	12	26,1	45,3/49,5
AU-04315	FRONT	N/A	N/A	N/A	N/A	41,4
AU-04316	FRONT	10	30	10	35,5	51
AU-04318	FRONT	10	32	10	32	38
AU-04319	FRONT	10	32	10	32	38
AU-04320	FRONT	10	20,5	10	20,5	36
AU-04322	FRONT	10	21	10	24	38
AU-04327	FRONT	10	39,9	10	29,9	39
AU-04330	FRONT	10	21	10	24	38
AU-04335	FRONT	10	30	10	35,5	51
AU-04336	FRONT	10	30	10	35,5	51
AU-04338	FRONT	10	32	10	32	TBA
AU-04340	FRONT	10	32	10	32	TBA
AU-04358	FRONT	10	21	10	24	TBA
AU-04359	FRONT	10	32	10	32	39
AU-04362	FRONT	12	32	12	36	45
AU-04363	FRONT	10	32	10	32	TBA
AU-04376	FRONT	10	26	10	26	38
AU-04378	FRONT	10	21	10	24	38,2
AU-04380	FRONT	10	30	10	35	51
AU-04381	FRONT	N/A	N/A	N/A	N/A	41,4
AU-04400	FRONT	N/A	N/A	N/A	N/A	41,2
AU-04402	REAR	12	40	12	45	42
AU-04403	REAR	10	40	12	45	39
AU-04404	REAR	10	32	10	30	39
AU-04405	REAR	10	32	10	30	39
AU-04406	REAR	12	40	12	45	42,5
AU-04407	REAR	10	32	10	30	39
AU-04408	REAR	10	30	10	30	44
AU-04409	REAR	12	40	12	40	38
AU-04410	REAR	10	30	10	35,5	45
AU-04411	REAR	10	20	10	30	38
AU-04412	REAR	10	32	10	32	38



BRONCO GAS SHOCKS&SPRINGS

NEW ITEMS IN BLUE | UPDATED APPLICATIONS IN RED

SHOCK SPECS						
P/N	STROKE	SPRING OD	SPRING WIRE DIAMETER	SPRING RATE		C TO C
	MM	MM	MM	LBS/INCH	KG / MM	MM
STRUTS						
AU-04300	136,6	80	8	62	1,10	486
AU-04310	147	96	10,5	-	-	493
AU-04315	173	91,5	8,7	-	-	561
AU-04331	168	86	9,3	-	-	553
AU-04347	-	93,5	9,2	179	3,20	426
AU-04400	136,6	97,5	9	69/99	1.23 / 1.76	480

SHOCKS						
AU-04202	60	73	8,5	112	2,00	297
AU-04203	68	73	9,5	202	3,60	345
AU-04205	95	64	9	146	2,60	333
AU-04206	55	72	9,5	-	-	302
AU-04207	79,5	65	8,5	162	2,90	364
AU-04208	100	72	9	162	2,90	389
AU-04209	78,6	73	8,5	-	-	368
AU-04252	65	72	8,5	221	3,95	347
AU-04253	89,8	70	9,5	-	-	395
AU-04254	90,5	70	9,5	221	3,95	396
AU-04256	79	70	9,5	221	3,95	365
AU-04257	89,5	65	8	112	2,00	390
AU-04258	118	67	8	154	2,75	463
AU-04259	106	73	9	185	3,30	423
AU-04301	127	81,5	9,5	112	2,00	408
AU-04302	58	61,6	7 2/7	112	2,00	310
AU-04303	98	74,5	7 1/2	-	-	362
AU-04304	82	71	8	-	-	366
AU-04305	87	70	8 1/3	-	-	358
AU-04306	96	67	7 2/5	-	-	388
AU-04307	64,8	73	9	-	-	360
AU-04308	81,3	68	8,2	-	-	373
AU-04309	93	74	9	-	-	402
AU-04309	93	74	9	238	4,25	402
AU-04311	48	66	9	-	-	255
AU-04312	65,2	57	7,5	-	-	280
AU-04313	107	65	9,2	-	-	368
AU-04314	125/184	94,1	9,2	-	-	552
AU-04315	131,5	92	9,1	-	-	560
AU-04316	118	80	9,5	-	-	395
AU-04318	98,5	73	7 4/5	-	-	360
AU-04319	91,5	66,5	7 1/2	-	-	347
AU-04320	116	87	10	246	4,40	405
AU-04322	114	71	9	185	3,30	395
AU-04327	-	73,7	8,7	-	-	348
AU-04330	-	66,5	9	222	3,96	368
AU-04335	150	90	11,2	246	4,40	458
AU-04336	149	95	11,6	258	4,60	448
AU-04338	-	88	10	184,8	3,3	430
AU-04340	125	97	9	112 / 157	2 / 2.8	466
AU-04358	-	72	9	196	3,5	417
AU-04359	88	79	11	269 / 459	4.8/8.2	359
AU-04362	155,6	90	12,5	274,4	4,9	504
AU-04363	110	97	9,7	130,2	2,33	478
AU-04376	152		9,5			471
AU-04378		65	8,1			390
AU-04380	125	98	9,4			415
AU-04381	205					588
AU-04400	90					480
AU-04402	71	70	9	196	3,50	342
AU-04403	125	75	9 4/5	-	-	445
AU-04404	84	72	9 1/2	-	-	371
AU-04405	98	72	9 4/5	-	-	408
AU-04406	105	72	9 4/5	-	-	398
AU-04407	68,9	73	9,7	-	-	350
AU-04408	74,7	72	9,2	-	-	365
AU-04409	73,6	78	11 1/2	-	-	398
AU-04410	113	91	9,5	129/163	2.3 / 2.9	446
AU-04411	64	72	9,2	-	-	290
AU-04412	79	65	8,2	-	-	320



BRONCO GAS SHOCKS & SPRINGS

04

NEW ITEMS IN BLUE | UPDATED APPLICATIONS IN RED

SHOCK SPECS

P/N	POSITION	TOP HOLE I.D.	TOP EYELET WIDTH	BOTTOM HOLE I.D.	BOTTOM EYELET WIDTH	TUBE O.D.
		MM	MM	MM	MM	MM
AU-04413	REAR	12	32	12	32	42
AU-04414	REAR	10	32	10	32	38
AU-04415	REAR	10	30	10	35,5	51
AU-04416	REAR	10	30	10	35,5	51
AU-04417	REAR	12	40	12	45	38
AU-04418	REAR	10	30	10	30	38
AU-04420	REAR	10	20,5	16	20,5	42
AU-04422	REAR	15,6	21	10	24	39
AU-04427	REAR	16,2	29,9	10	29,9	29
AU-04429	REAR	12	40	12	32	42
AU-04430	REAR	10	32	14	24	38
AU-04431	REAR	10	30	10	35,5	51
AU-04435	REAR	10,35	30	10,35	35,5	50,8
AU-04436	REAR	10,3	30	10	35,5	51
AU-04438	REAR	12	40	12	31,85	44
AU-04440	REAR	10	32	10	32	38
AU-04449	REAR	10	32	10	30	38
AU-04456	REAR	10	20,5	16	20,5	41
AU-04459	REAR	12	40	12	40	39
AU-04460	REAR	12	40	12	31,85	TBA
AU-04463	REAR	10	32	12,5	32,5	42
AU-04464	REAR	10	30	10	35,5	51
AU-04466	REAR	10	32	10	32	57
AU-04470	REAR	10	32	10	32	57
AU-04474	REAR	10,1	32	10	32	38
AU-04476	REAR	10,1	26	10	26	38
AU-04478	REAR	18,3	23	10	32	36
AU-04480	REAR	10	30	10	35	51



AU-04202B



AU-04206B



AU-04206C



AU-04207B



AU-04207C



AU-04209B



AU-04253B



AU-04253C



AU-04257B



AU-04258B



AU-04259B



AU-04312B



AU-04316C-1



AU-04320A



AU-04328B



AU-04335A



AU-04362A



AU-04402B-1



AU-04402C-1



AU-04403B-1



AU-04403C-1



AU-04404B



AU-04413A



AU-04415B-1



BRONCO GAS SHOCKS & SPRINGS

NEW ITEMS IN BLUE | UPDATED APPLICATIONS IN RED

SHOCK SPECS						
P/N	STROKE	SPRING OD	SPRING WIRE DIAMETER	SPRING RATE		C TO C
	MM	MM	MM	LBS/INCH	KG / MM	MM
AU-04413	124	70	9,5	-	-	438
AU-04414	155	79	9	-	-	464
AU-04415	133	96	9,5	106	1,90	407
AU-04416	147	100	10,5	-	-	503
AU-04417	131,5	74	9 2/3	-	-	448
AU-04418	98,5	68	8 1/2	-	-	375
AU-04420	118	89	10	196	3,50	390
AU-04422	130	68	7,4	81	1,45	416
AU-04427	-	74,1	7,6	-	-	392
AU-04429	-	82	12	-	-	395
AU-04430	-	66,8	9	213	3,80	346
AU-04431	139	83,1	10,4	178/243	3.18 / 4.33	417
AU-04435	165	-	-	-	-	570
AU-04436	137	90	9,7	232/236	4.14 / 4.20	408
AU-04438	-	94,5	12,7	230 / 678	4.1 / 12.1	450
AU-04440	162	89	9	-	-	503
AU-04449	-	75	10	-	-	449
AU-04456	107	87	9	677,6	12,1	387
AU-04459	62	76	11	325 / 610	5.8 / 10.9	345
AU-04460	80,6	71	9,5	218,4	3,90	405
AU-04463	142	76,5	9,5	162,4	2,90	478
AU-04464	-	96	10,5	-	-	483
AU-04466	165	98	13	-	-	530
AU-04470	139	98	12,8	-	-	482
AU-04474	160	93	10,5	-	-	479
AU-04476	160	93	10,5	-	-	479
AU-04478		70	8,3			462
AU-04480	150	97	11,3			471



AU-04420A



AU-04422A



AU-04427A



AU-04429A



AU-04429B



AU-04430B



AU-04458A



AU-04464A



AU-04464B



AU-04471A

BUSHING SPECS		
NIU#	I.D. (MM)	O.D. (MM)
AU-04202B	10	23,3
AU-04206B	10	23
AU-04206C	10	23
AU-04207B	10	23
AU-04207C	10	24
AU-04209B	10	23
AU-04253B	10	26
AU-04253C	10	25,5
AU-04257B	16	22
AU-04258B	18	20
AU-04259B	10	23
AU-04312B	10	23
AU-04316C-1	10	25,5
AU-04320A	10	23,1
AU-04328B	10	23
AU-04335A	10	23,1
AU-04402B-1	12	25,5
AU-04402C-1	12	25,5
AU-04403B-1	12	25,5
AU-04403C-1	12	25,5
AU-04404B	10	23
AU-04413A	12	23
AU-04415B-1	3/8	23
AU-04420A	16	28
AU-04427A	16	33,2
AU-04429A	12	30,1
AU-04429B	12	23,1
AU-04430B	20	23,1
AU-04417C	12	25,4
AU-04422B	16	25
AU-04458A	14	23,9
AU-04362A	12	35,8
AU-04464A	10,2	30
AU-04464B	10,2	35
AU-04471A	10	25,3